



**BASIC OPERATING PERMIT NOTIFICATION
ST. LOUIS COUNTY SOURCES ONLY**

OFFICE USE ONLY	
FILING FEE \$	
CHECK NO.	CHECK RECEIVED
CHECK AMOUNT \$	CHECK DATE

SECTION A: GENERAL NOTIFICATION INFORMATION

SECTION A-1: GENERAL INSTALLATION INFORMATION

1. INSTALLATION NAME		2. FIPS 189	3. PLANT NO.	4. DATE STAMP (OFFICE USE ONLY)	
5. YEAR SUBMITTED	6. INSTALLATION TELEPHONE NUMBER () -	7. INSTALLATION FAX NUMBER () -			
8. INSTALLATION MAILING ADDRESS			9. PRIMARY SIC CODE		
10. CITY		STATE MO	11. ZIP CODE		
12. INSTALLATION STREET ADDRESS			13. COUNTY NAME		
14. CITY		STATE MO	15. ZIP CODE		16. MO SENATORIAL DISTRICT NUMBER
17. INSTALLATION CONTACT PERSON <input type="checkbox"/> MR. <input type="checkbox"/> MS.				18. MO REPRESENTATIVE DISTRICT NUMBER	
19. INSTALLATION CONTACT TELEPHONE NO. () -			20. INSTALLATION CONTACT E-MAIL		
21. PARENT COMPANY NAME			22. MAILING ADDRESS		
23. CITY			24. STATE	25. ZIP CODE	
26. PARENT COMPANY CONTACT PERSON <input type="checkbox"/> MR. <input type="checkbox"/> MS.			27. PARENT COMPANY CONTACT TELEPHONE NUMBER () -		
28. PARENT COMPANY CONTACT E-MAIL					

SECTION A-2: TYPE OF BASIC OPERATING PERMIT NOTIFICATION

INITIAL RENEWAL MODIFICATION ADMINISTRATIVE AMENDMENT

SECTION A-3: INSTALLATION DESCRIPTION

29.

SECTION A-4: COMPLIANCE STATUS

30. WILL YOUR INSTALLATION BE IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS AT THE TIME OF NOTIFICATION SUBMITTAL AND CONTINUE TO COMPLY WITH THESE REQUIREMENTS FOR THE DURATION OF THE NOTIFICATION?
 YES NO If no, submit compliance plan

31. WILL YOUR INSTALLATION BE IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS PROMULGATED PRIOR TO THIS NOTIFICATION THAT CONTAIN A COMPLIANCE DEADLINE WITHIN THE TERMS OF THIS NOTIFICATION?
 YES NO If no, submit compliance plan

SECTION A-5: COMPLIANCE PLAN (IF INSTALLATION ANSWERS NO TO ITEMS 31 AND 32 ABOVE)

32. PLEASE SPECIFY WHICH APPLICABLE REGULATIONS THE INSTALLATION IS NOT EXPECTED TO BE IN COMPLIANCE WITH, INCLUDING HOW INSTALLATION SHALL MEET COMPLIANCE AND ENFORCEABLE MEASURES LEADING TO COMPLIANCE.	33. DATE SOURCE EXPECTS TO BE IN COMPLIANCE
---	---

SECTION A-6: CERTIFICATION OF COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS AND APPLICANT'S CERTIFICATION STATEMENT FOR OPERATING PERMIT NOTIFICATION

I hereby certify that, based on information and belief formed after reasonable inquiry, the air contaminant source identified in this application is in compliance with all applicable requirements, except as noted in compliance plan (item 34 above), if applicable. I certify, based on information formed after reasonable inquiry, the statements and information in this document are true, accurate and complete.

34. SIGNATURE OF RESPONSIBLE OFFICIAL OF COMPANY	35. DATE
36. TYPE OR PRINT NAME OF RESPONSIBLE OFFICIAL <input type="checkbox"/> MR. <input type="checkbox"/> MS.	37. TITLE OF RESPONSIBLE OFFICIAL

BASIC OPERATING PERMIT NOTIFICATION – ST. LOUIS SOURCES ONLY

SECTION B: APPLICABLE REQUIREMENTS			
The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. The full text of the State and Federal Regulations are available at the respective websites: http://www.dnr.state.mo.us/oac/forms/index.html (State); http://www.tnrc.state.tx.us/permitting/airperm/opd/60/60hmpg.htm (Part 60); http://www.epa.gov/ttn/atw/eparules.html (Part 63); http://www.tnrc.state.tx.us/permitting/airperm/opd/61/61hmpg.htm (Part 61); and http://www.tnrc.state.tx.us/permitting/airperm/opd/82/82hmpg.htm (Part 82).			
REGULATION OR CONSTRUCTION PERMIT REFERENCE	APPLICABLE EMISSION POINT DESCRIPTION AND ID (AS LISTED IN EIQ)	APPLICABLE EMISSION LIMIT OR STANDARD	METHOD OF COMPLIANCE
10 CSR 10-5.040, Use of Fuel in Hand-Fired Equipment Prohibited	Plant-wide	It shall be unlawful to operate any hand-fired fuel-burning equipment in the St. Louis metropolitan area.	The permittee shall not operate any hand-fired fuel-burning equipment.
10 CSR 10-5.160, Restriction of Emission of Odors	Plant-wide	No person shall emit odorous matter as to cause an objectionable odor in the St. Louis metropolitan area on or adjacent to the locations established in 10 CSR 10-5.160(1)(A)1-3.	Prevent objectionable odors from crossing the property boundary. The permittee shall implement corrective action as needed.
10 CSR 10-5.240, Additional Air Quality Control Measures May be Required When Sources are Clustered in a Small Land Area	Plant-wide	The Air Conservation Commission may prescribe more restrictive air quality control requirements that are more restrictive and extensive than provided in regulations of general application in the St. Louis metropolitan area for areas specified in 10 CSR 10-5.240(1)(A) and (B).	As stated in the procedures and monitoring approved by the Missouri Air Conservation Commission.
10 CSR 10-5.450 Coating of VOC Emissions from Traffic Coatings	Plant-wide	1) No person shall supply, sell, offer for sale, apply, or solicit the application of any traffic coating, which at the time of sale or manufacture contains more than 1.26 pounds VOC per gallon, excluding water, exempt compounds, and any colorant added to tint bases, or manufacture, blend, or repackage such a coating for use within the St. Louis metropolitan area without the approval of the staff director. 2) All VOC-containing materials shall be stored in closed containers when not in use. In use includes, but is not limited to, being accessed, filled, emptied, or repaired.	1) Maintain records, such as an MSDS, of VOC content of paints used for traffic coatings. 2) All VOC-containing materials shall be stored in closed containers when not in use. In use includes, but is not limited to, being accessed, filled, emptied, or repaired.
10 CSR 10-6.045, Open Burning Restrictions	Plant-wide	Shall not conduct, cause, permit or allow a salvage operation, the disposal of trade wastes or burning of refuse by open burning.	Any person intending to engage in open burning shall submit a request to the director.
10 CSR 10-6.050, Start-up, Shutdown and Malfunction Conditions	Plant-wide	Submit a report to the director within 2 days with the information specified in 10 CSR 10-6.050(3)(A)1-10. The permittee shall submit the information specified in 10 CSR 10-6.050(3)(A)1-10 to the director at least 10 days prior to any maintenance, start-up or shutdown, which is expected to cause an excessive release of emissions that exceeds 1 hour.	In the event of a malfunction, which results in excess emissions that exceed 1 hr, the permittee shall implement corrective action and submit reports.
10 CSR 10-6.060, Construction Permits Required	Plant-wide	Shall not commence construction or modification of any installation subject to this rule; begin operation after construction or modification; or begin operation of any installation which has been shut down longer than 5 years without first obtaining a permit.	The permittee shall apply for and obtain a construction permit as required by 10 CSR 10-6.060. The permittee shall maintain copies of all issued construction permits on-site.
10 CSR 10-6.065, Operating Permits	Plant-wide	The permittee shall comply with all applicable requirements identified in the operating permit (OP); file for renewal of this OP between 6-18 months prior to the expiration date of this OP; and retain a copy of the OP on-site and make available to any MDNR or St. Louis County personnel upon request.	The permittee shall maintain a current equipment list on-site with the date of installation of the equipment.
10 CSR 10-6.080, Emission Standards for HAPs, 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos	Plant-wide	Shall follow the procedures and conduct monitoring according to the requirements of 40 CFR Part 61, Subpart M for any affected activities.	As stated in the procedures and monitoring according to the requirements of 40 CFR Part 61, Subpart M.
10 CSR 10-6.100, Alternate Emission Limits	Plant-wide	Alternate emission limits on a case-by-case basis.	Obtain an alternate emission limits permit in accordance with 10 CSR 10-6.100 prior to the limits becoming effective.
10 CSR 10-6.110, Submission of Emission Data, Emission Fees and Process Information	Plant-wide	Submittal of Emission Inventory Questionnaire (EIQ) by frequency noted in 10 CSR 10-6.110.	The permittee shall complete and submit an EIQ in accordance with 10 CSR 10-6.110.
10 CSR 10-6.130, Controlling Emissions During Episodes of High Air Pollution Potential	Plant-wide	This rule specifies the conditions that establish an air pollution alert or emergency and the associated procedures.	The permittee shall submit an appropriate emergency plan if required by the director.

BASIC OPERATING PERMIT NOTIFICATION – ST. LOUIS SOURCES ONLY

SECTION B: APPLICABLE REQUIREMENTS (CONTINUED)			
REGULATION OR CONSTRUCTION PERMIT REFERENCE	APPLICABLE EMISSION POINT DESCRIPTION AND ID (AS LISTED IN EIQ)	APPLICABLE EMISSION LIMIT OR STANDARD	METHOD OF COMPLIANCE
10 CSR 10-6.150, Circumvention	Plant-wide	No circumvention.	The permittee shall not conceal or dilute any emission that violates a rule of the Missouri Air Conservation Commission.
10 CSR 10-6.170, Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin	Plant-wide	No person shall cause or allow the emission of particulate matter to the ambient air beyond the property line of origin.	Keep daily log to monitor the property, noting whether particulate emissions cross the property boundary. The log shall include any corrective action taken when a violation is observed, such as watering or sweeping.
10 CSR 10-6.180, Measurement of Emissions of Air Contaminants	Plant-wide	The director may conduct or require tests to determine the quantity and/or nature of emission of air contaminants from a source.	The installation shall conduct or allow tests to be conducted upon request of the director.
10 CSR 10-6.220, Restriction of Emission of Visible Air Contaminants	Plant-wide	The maximum allowable opacity of visible air contaminant emissions in the St. Louis Metropolitan Area is 20%.	Facility shall conduct a weekly visible emissions inspection walk-through. The walk-through will consist of a visual inspection of each emission unit and control device at the facility for the presence of visible emissions. Upon the identification of particular units or control devices having visible emissions, an observer, trained in Method 9 procedures will make an observation. The presence of visible emissions or lack thereof (and if necessary, the opacity reading) will be logged and all records will be maintained. The log will also include maintenance and repair records for control devices.
10 CSR 10-6.250, Asbestos Abatement Projects – Certification, Accreditation, & Business Exemption Requirements	Plant-wide	The procedures for certification and accreditation of 10 CSR 10-6.250.	The permittee shall conduct all asbestos abatement projects within the procedures established for certification and accreditation by 10 CSR 10-6. 250.
10 CSR 10-6.280, Compliance Monitoring Usage	Plant-wide	The permittee is not prohibited from using the method specified in 10 CSR 10-6.280(3)(A)1-3 in addition to any specified compliance methods for the purpose of submission of compliance certifications.	Any credible evidence may be used to establish whether a requirement has been violated.
Title VI – 40 CFR Part 82, Protection of Stratospheric Ozone	Plant-wide	Labeling of products with ozone-depleting substances – Subpart E; Recycling & emission reduction – Subpart F, except as provided in Subpart B; Class I or II substances – Subpart A; Servicing of Motor Vehicle Air Conditioners – Subpart B	As stated in the procedures and monitoring according to the respective subparts.
St. Louis County –Health Air Pollution Control Code Chapter 612	Plant-wide	Abide by all applicable requirements of the code.	Maintain all records required to determine compliance.

BASIC OPERATING PERMIT NOTIFICATION – ST. LOUIS SOURCES ONLY

SECTION C: COMMENT FORM (OPTIONAL)

Please use for compliance plan (item 32 above) or for additional requirements.

INSTALLATION NAME	FIPS	PLANT NO.	YEAR SUBMITTED
-------------------	------	-----------	----------------